



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date: 07-12-2005

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
-------	------	------	------------	-----------------	-----------------------------

## ACURA

Integra	90 / 93	DA9	<b>270-1010</b>	35 mm	
Integra	94 / -	DB&DC4	<b>270-1000</b>	30 mm	

## ALFA ROMEO

145 all	94 / 00	930	<b>11-8000</b>	35 mm	
145 2.0 QV / 146-Ti	96 / 00	930	<b>11-8020</b>	35 mm	
146 all	95 / 00	930	<b>11-8010</b>	30 mm	
147 1.6	00 / -	937	<b>11-7060</b>	35 mm	
147 2.0 and Diesel	00 / -	937	<b>11-7070</b>	35 mm	
147 GTA	00 / -	937	<b>11-7052</b>	35 mm	
155 1.8-2.0 TS	92 / 10.97	167	<b>11-7000</b>	40 mm	
155 2,5 V6	92 / 10.97	167	<b>11-7010</b>	40 mm	
156 4 cyl models, excl. 1.9JTD & 2.0 JTS	97 / -	932	<b>11-7050</b>	35 mm	
156 5-6 cyl., 1.9JTD, 2.4JTD and GTA	97 / -	932	<b>11-7051</b>	35 mm	
156 Sportswagon 4 cyl. excl. 1.9JTD	00 / -	932	<b>11-7050/1</b>	35 mm	
156 Sportswagon 5-6 cyl. and 1.9, 2.4JTD	00 / -	932	<b>11-7051/1</b>	35 mm	
164 3.0 V6, QV, excl. 4WD	88 / 98		<b>11-5000</b>	40 mm	
164 Twin Spark	88 / 98		<b>11-5010</b>	40 mm	
166 all, excl. 2.0 TS	98 / -	936	<b>11-11100</b>	30 mm	
166 2.0 TS	98 / -	936	<b>11-11000</b>	30 mm	
33 16V (con. fr. spring)	03.90/01-93	907	<b>11-3010/2</b>	30 mm	front top bearing has 3 bolts
33 16V (cyl. fr. spring)	01.93 / 94	907	<b>11-3010/1</b>	30 mm	front top bearing has 4 bolts
75, Alfetta GTV, (ex. GTV6), Alfetta, Giulietta	85 / 91	116	<b>11-1000</b>	30 mm	
GT 1.9JTD & 2.0 JTS	03 / -		<b>11-7080</b>	25mm	
GT 3.2 V6	03 / -		<b>11-7085</b>	30mm	
Spider	03.90 / 04.94	115	<b>11-6010</b>	40 mm	
Spider & GTV 4 cyl. models	95 / -	916	<b>11-9010</b>	30 mm	
Spider & GTV V6 models	95 / -	916	<b>11-9000</b>	35 mm	

## AUDI

80	72 / 78	82	<b>10-6000</b>	40 mm	
80 / 90 / Coupe	78 / 86	81	<b>10-2000</b>	40 mm	conical spring
80 / 90 / Coupe cyl.	78 / 86	81	<b>10-2000cyl</b>	40 mm	cylindrical spring
80 / 90 excl. 2.3 5-cyl.	86 / 91	89	<b>10-1000</b>	35 mm	
80 4-cyl, excl. cabrio and Quattro.	91 / 94	B4	<b>10-5000/1</b>	40 mm	
80 5-6 cyl, excl. cabrio and Quattro.	91 / 94	B4	<b>10-5000/2</b>	40 mm	
A2 all excl. 1.2 TDi Eco & 1.4 TDi	00 / -	8Z	<b>10-1500</b>	25 mm	
A2 1.4 TDi & 1.6i	00 / -	8Z	<b>10-1510</b>	25 mm	
A3 1.6	96 / 05.03	8L	<b>10-8000</b>	45 mm	7)
A3 1.8 and TDi	96 / 05.03	8L	<b>10-8010</b>	35 mm	7)
A3 Quattro	99 / -	8L	<b>10-8040</b>	30 mm	7)
A3 1.6 all & 2.0 FSi	03 / -	8P	<b>10-8200</b>	30 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
A3 2.0 FSi DSG, 1.9 & 2.0 TDi	03 / -	8P	<b>10-8210</b>	30 mm	
A4 Saloon 4-cyl. all, excl. Quattro	94 / 00	B5	<b>10-7000</b>	40 mm	less lowering on Turbo models
A4 Saloon 6-cyl. all, excl. Quattro	94 / 00	B5	<b>10-7010</b>	40 mm	less lowering on Turbo models
A4 Saloon 6 cyl. all, excl. Quattro	94 / 00	B5	<b>10-7010</b>	40 mm	less lowering on Turbo models
A4 Avant 4 cyl. benz. models excl. Quattro	96 / 00	B5	<b>10-7050</b>	40 mm	less lowering on Turbo models
A4 Avant 5 & 6 cyl. & TDi mod. excl. Quat.	96 / 00	B5	<b>10-7050/1</b>	40 mm	less lowering on Turbo models
A4 Quattro Saloon all 6 cyl. models incl. S4	96 / 00	B5	<b>10-7030/3</b>	40 mm	less lowering on Turbo models
A4 Quattro Saloon all 4 cyl. models	96 / 00	B5	<b>10-7030</b>	40 mm	less lowering on Turbo models
A4 Quattro Avant all 4 cyl. models	97 / 00	B5	<b>10-7030/2</b>	40 mm	less lowering on Turbo models
A4 Quattro Avant all 6 cyl. models incl. S4	97 / 00	B5	<b>10-7030/4</b>	40 mm	less lowering on Turbo models
A4 Saloon 2WD 1.6, 2.0	01 / -	8E	<b>10-7200</b>	40 mm	
A4 Saloon 2WD 1.8T, 3.0, all TDi	01 / -	8E	<b>10-7210</b>	40 mm	
A4 Avant 2WD 1.6, 2.0	01 / -	8E	<b>10-7240</b>	40 mm	
A4 Avant 2WD 1.8T, 3.0, all TDi	01 / -	8E	<b>10-7250</b>	40 mm	
A4 Quattro Saloon and Avant all	01 / -	8E	<b>10-7230</b>	40 mm	
A6 all 4 & 5-cyl., excl. Quattro and Avant	91 / 06.97	C4	<b>10-4000/1</b>	40 mm	
A6 V6, excl. Quattro and Avant	91 / 06.97	C4	<b>10-4000/2</b>	40 mm	
A6 4 & 5-cyl. Avant all, excl. Quattro	91 / 97	C4	<b>10-4050/1</b>	40 mm	
A6 V6 Avant all, excl. Quattro	91 / 97	C4	<b>10-4050/2</b>	40 mm	
A6 Saloon, all 4-cyl. models.	07.97 / 05.04	4B	<b>10-9000</b>	35 mm	2)
A6 Saloon, all 6-cyl. models excl. TDi	07.97 / 05.04	4B	<b>10-9010</b>	35 mm	2)
A6 Saloon, all V6 TDi models.	07.97 / 05.04	4B	<b>10-9010/1</b>	35 mm	2)
A6 Avant, all 4 cyl. models.	98 / 05.04	4B	<b>10-9020</b>	35 mm	2)
A6 Avant, all 6 cyl. models excl. TDi.	98 / 05.04	4B	<b>10-9030</b>	35 mm	2)
A6 Avant, all V6 TDi models.	98 / 05.04	4B	<b>10-9030/1</b>	35 mm	2)
A6 Quattro, all 4 cyl. models.	97 / 05.04	4B	<b>10-9040</b>	35 mm	2)
A6 Quattro, all 6 cyl. models excl. TDi.	97 / 05.04	4B	<b>10-9050</b>	35 mm	2)
A6 Quattro, all V6 TDi models.	97 / 05.04	4B	<b>10-9050/1</b>	35 mm	2)
A8 2.8, 2.5 TDi, incl. Quattro	06.94 / 10.02	D2	<b>10-12000</b>	25 mm	
A8 3.7, 4.2 incl. Quattro	06.94 / 10.02	D2	<b>10-12010</b>	25 mm	
TT Coupe & Roadster excl. Quattro	99 / -	8N	<b>10-3000</b>	40 mm	
TT Coupe & Roadster Quattro	99 / -	8N	<b>10-3010</b>	40 mm	

## BMW

E21 315, 316, 318, 320, 320i, 323i	75 / 82	3	<b>20-1000</b>	40 mm	
E24 628-635	82 / 86	6CS/1	<b>20-1010</b>	30 mm	
E28, 4-6 cyl	81 / 88	5/1	<b>20-2010</b>	30 mm	
E30 315, 316, 318i	82 / 90	3/1	<b>20-1020</b>	30 mm	
E30 320i, 323i, 325e, 325i, excl. D	82 / 90	3/1	<b>20-1030</b>	30 mm	
E30 excl. Touring	82 / 90	3/1, 3/R	<b>20-1035</b>	<b>60 mm</b>	1)
E30 Touring, excl. D	82 / 94	3/1	<b>20-1040</b>	30 mm	
E34 M5 Incl. Touring (front springs only)	88 / 97	M5/H	<b>20-2100</b>	25 mm	
E34 all, excl. Touring and M5	88 / 95	5/H	<b>20-2000</b>	30 mm	
E36 Compact	04.94 / -	3/CG	<b>20-5000</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
E36 M3 3.0 litre	93 / -	M3B	<b>20-1070</b>	30 mm	
E36 3.2 litre	04.96 / 00	M3	<b>20-1070/1</b>	30 mm	
E36 4-cyl. models, all incl. Coupe, Cabrio	91 / 98	3B,C & 3/B/C	<b>20-1050</b>	40 mm	
E36 6-cyl. models, all incl. Coupe, Cabrio	10.91 / 05.92	3B,C & 3/B/C	<b>20-1060/1</b>	40 mm	
E36 6-cyl. models, all incl. Coupe, Cabrio	06.92 / 04.98	E36	<b>20-1060/2</b>	40 mm	
E36 Touring 4-cyl. models, excl. TDS	95 / -	3/C	<b>20-1090</b>	35 mm	
E36 Touring 6-cyl. models and TDS	95 / -	3/C	<b>20-1090/1</b>	35 mm	
E38, 730i	06.94 / 01	7/G	<b>20-3000</b>	40 mm	
E38, 740i	06.94 / 01	7/G	<b>20-3010</b>	40 mm	
E39 excl. Touring	95 / 02	5/D	<b>20-2050</b>	30 mm	
E39, 540i V8, excl. Touring	97 / 02	5/D	<b>20-2051</b>	45 mm	
E46 318,320,323,328,320D,excl. iX & cabrio	98 / 05	346L,C,R,K	<b>20-1200</b>	35 mm	
E46 318,320,323,328,320D,excl. iX & cabrio	98 / 05	346L,C,R	<b>20-1210</b>	<b>55/30 mm</b>	
E46 Compact	01 / 05	346K	<b>20-1200</b>	35 mm	
E46 Touring all & cabrio	6.99 / 05	E46	<b>20-1250</b>	35 mm	
E46 M3	00 / 05	346	<b>20-1270</b>	25 mm	
E60 520i,525i & 530i excl. Touring & Diesel	06.03 / -	560L	<b>20-2200</b>	30mm	excl. self-levelling rear axle
E65 735i, 745i & 730D	11.01 / -	765	<b>20-3200</b>	25mm	
Z3, 4-cyl.Roadster, Coupé, ex. M-techn.	04.96 / -	R/C	<b>20-6000</b>	35 mm	
Z3, 6-cyl.Roadster, Coupé, ex. M-techn.	04.96 / -	R/C	<b>20-6010</b>	35 mm	
Z3 M-Roadster 236 kW	97 / -	MR/C	<b>20-6050</b>	35 mm	

## CHEVROLET

<b>New!</b>	Aveo hatchb. & sedan	02 / -	<b>290-5000</b>	30 mm	
	Camaro V8 low	93 / -	<b>300-1010</b>	<b>60 mm</b>	1)
	Cavalier (V6), Beretta, Corsica	87 / 94	<b>300-2000</b>	30 mm	
	Cavalier 4-6 cyl	95 / -	<b>300-2010</b>	30 mm	
<b>New!</b>	Cobalt	05 / -	<b>300-3000</b>	30 mm	excl. SS versions
<b>New!</b>	Nubira	03 / -	<b>290-6000</b>	35 mm	
<b>New!</b>	Optra	03 / -	<b>290-6000</b>	35 mm	
	Spark	98 / 05	<b>290-4000</b>	30 mm	
	Zafira A all excl. 2.2i auto, 2.0DTi	01.99 / 05	T98 monocab <b>60-11700</b>	30 mm	

## CHEVROLET EUROPE

	Kalos hatchb. & sedan	02 / -	<b>290-5000</b>	30 mm	
<b>New!</b>	Lacetti	03 / -	<b>290-6000</b>	35 mm	
	Matiz	98 / 05	<b>290-4000</b>	30 mm	
<b>New!</b>	Nubira	03 / -	<b>290-6000</b>	35 mm	

## CHRYSLER

	Neon 2-4 dr.	95 / 98	<b>340-1000</b>	35 mm	
	Neon	01.99 / -	PL <b>340-2000</b>	35 mm	
	PT Cruiser	00 / -	<b>340-3000</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
-------	------	------	------------	-----------------	-----------------------------

## CITROËN

AX	12.86 / 12.98	ZA	<b>160-1000</b>	35 mm	
AX GT - GTi	91 / 98	ZA	<b>160-1010</b>	35 mm	
<b>New!</b> C1	05 / -	P	<b>70-4200</b>	35 mm	
C2 1.1	03/ -	J	<b>160-4020</b>	35 mm	
C2 1.4 all	03/ -	J	<b>160-4010</b>	35 mm	less lowering on VTR
C2 1.6 Sensodrive	03/ -	J	<b>160-4000</b>	15mm	
C3 1.1, 1.4, 1.4HDI-8V	02/ -	F	<b>160-4010</b>	35 mm	
C3 1.6 all, 1.4 Auto, 1.4HDI-16V	02 / -	F	<b>160-4000</b>	35 mm	
C3 Pluriel 1.4	03/ -	H	<b>160-4080</b>	35 mm	
C3 Pluriel 1.6 Sensodrive	03/ -	H	<b>160-4090</b>	35 mm	
C4 1.4 - 2.0 16V, 1.6 HDi Lim & Coupé	11.04/-	L	<b>160-5000</b>	35mm	
C4 2.0 HDi Lim & Coupé	11.04/-	L	<b>160-5010</b>	35mm	
Picasso	00 / -	C	<b>160-3000</b>	35 mm	
Saxo incl. VTS	05.96 / 10.03	S	<b>70-4000</b>	35 mm	14)
Xsara, incl. Coupe and VTS	97 / -	N6	<b>160-3000</b>	35 mm	less lowering on VTS
ZX	09.91 / 06.97	N2	<b>160-2000</b>	35 mm	
ZX 1.9, 2.0, 16V Volcane	09.91 / 06.97	N2	<b>160-2010</b>	35 mm	

## DAEWOO

Espero	95 / -		<b>290-1000</b>	35 mm	
Kalos	02 / -		<b>290-5000</b>	30 mm	
Lacetti	03 / -		<b>290-6000</b>	35 mm	
Matiz	98 / 05		<b>290-4000</b>	30 mm	
Nubira	03 / -		<b>290-6000</b>	35 mm	
<b>New!</b> Nubira stationwagon	03 / -		<b>290-6030</b>	35 mm	

## DAIHATSU

Charade	89 / 93	G100	<b>190-1000</b>	40 mm	
Charade up to ch. nr. 540090	94 / 8.96	G200/G203	<b>190-2000</b>	35 mm	
Cuore			<b>190-3000</b>	35 mm	

## FIAT

Barchetta	95 / -	183	<b>30-8000</b>	35 mm	
Bravo/Brava 1.2 -1.6	95 / -	182	<b>30-9000</b>	35 mm	
Bravo/Brava 1.8 - 2.0 and Diesel	95 / -	182	<b>30-9010</b>	30 mm	
Cinquecento	10.92 / 03.98	170	<b>30-5000</b>	40 mm	
Cinquecento Sporting	10.92 / 03.98	170	<b>30-5010</b>	30 mm	
Coupe 2.0-16V Turbo	94 / 00	175	<b>30-7000</b>	35 mm	
Coupe 1.8-16V, 2.0-16V, 2.0-20V Turbo	94 / 00	175	<b>30-7010</b>	30 mm	
Croma	86 / -	164	<b>30-2000</b>	35 mm	
<b>New!</b> Croma 1.8, 2.2	05 / -	194	<b>30-2200</b>	35 mm	
<b>New!</b> Croma 1.9 JTD	05 / -	194	<b>30-2210</b>	35 mm	
<b>New!</b> Croma 2.4 JTD	05 / -	194	<b>30-2220</b>	35 mm	

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Panda	03 / -	169	<b>30-12200</b>	30 mm	
Punto	93 / 9.99	176	<b>30-6000</b>	35 mm	
Punto GT	93 / 9.99	176	<b>30-6010</b>	35 mm	
Punto 1.2 (8 & 16V)	10.99 / 03	188	<b>30-6020</b>	35 mm	less lowering on 8V models
Punto 1.8 HGT & JTd	10.99 / 03	188	<b>30-6030</b>	35 mm	
Punto 1.8 HGT & JTd	10.99 / 03	188	<b>30-6040</b>	<b>60/40 mm</b>	
Punto 1.2, 1.4 & 1.3 Multi-jet	03 / 05	188	<b>30-6020/1</b>	35 mm	less lowering on 8V models
Punto 1.8, 1.9 Multi-jet & JTd	03 / 05	188	<b>30-6030/1</b>	35 mm	
<b>New!</b> Punto (Grande Punto) 1.2 & 1.4	05 / -	199	<b>30-6200</b>	35 mm	
<b>New!</b> Punto (Grande Punto) diesel 1.3	05 / -	199	<b>30-6210</b>	35 mm	
<b>New!</b> Punto (Grande Punto) diesel 1.9	05 / -	199	<b>30-6220</b>	35 mm	
Seicento	03.98 / -	187	<b>30-5000</b>	30 mm	
Seicento Sporting	03.98 / -	187	<b>30-5010</b>	30 mm	
Stilo 1.2 16V	01 / -	192	<b>30-3520</b>	30 mm	
Stilo 1.6 all, excl. Dynamic 5-door	01 / -	192	<b>30-3500</b>	30 mm	
Stilo 1.8, 1.6 Dynamic 5-door	01 / -	192	<b>30-3510</b>	30 mm	
Stilo 1.9 JTd & Abarth	02 / -	192	<b>30-3550</b>	30 mm	
Stilo SW 1.6	02 / -	192	<b>30-3530</b>	30 mm	
Stilo SW 1.8	02 / -	192	<b>30-3540</b>	30 mm	
Stilo SW 1.9 JTd	02 / -	192	<b>30-3560</b>	30 mm	
Tempra	90 / -	159	<b>30-4000</b>	35 mm	
Tipo	88 / -	160	<b>30-3000</b>	35 mm	
Tipo 2.0 16V	89 / -	160	<b>30-3010</b>	35 mm	
Uno 45 (Fire motor)	83 / -	146	<b>30-1000/45</b>	35 mm	
Uno Turbo	83 / -	146	<b>30-1000</b>	35 mm	
Uno Turbo	83 / -	146	<b>30-1010</b>	<b>60 mm</b>	1)

## FORD

Cougar 4-cyl	98 / 8.00		<b>40-9000</b>	35 mm	
Cougar 6-cyl	98 / 8.00		<b>40-9010</b>	35 mm	
Escort III / IV	09.80 / 90	A/G	<b>40-1000S</b>	30 mm	less lowering on XR3i
Escort III / IV	09.80 / 90	G/A	<b>40-1070</b>	<b>60 mm</b>	less lowering on XR3i
Escort IV Cosworth	86 / 90	ABL/C	<b>40-5000</b>	25 mm	
Escort IV 1.6 RS Turbo	86 / 90		<b>40-1011</b>	30 mm	
Escort V Hatchback excl. RS2000	90 / 01.95	GAL, ALL	<b>40-1010</b>	30 mm	
Escort V Cabrio	90 / 01.95	ALL	<b>40-1020</b>	30 mm	
Escort V RS 2000	92 / 95	GAL	<b>40-1030</b>	30 mm	
Escort VI incl. Cabrio see note	02.95 / 02.99	G/A	<b>40-1040</b>	40 mm	types GAL, ALL, AAL, ABL, AFL
Escort VI RS2000 2wd	02.95 / 02.99	G/A	<b>40-1040</b>	15 mm	
Fiësta all, excl. 16V (Mk 3)	03.89 / 01.94	GFJ	<b>40-4000</b>	35 mm	less lowering on XR2
Fiësta excl. Diesel (Mk 4 / 5)	02.94 / 09.99	JAS	<b>40-4010</b>	30 mm	cylindrical rear spring
Fiësta excl. Diesel (Mk 4 / 5)	02.94 / 09.99	JAS	<b>40-4012</b>	<b>60 mm</b>	cylindrical rear spring
Fiësta (Mk 6) excl. Diesel	01.00 / 11.01	JBS	<b>40-4010/1</b>	30 mm	
Fiësta (Mk 6) excl. Diesel	01.00 / 11.01	JBS	<b>40-4012/1</b>	<b>60 mm</b>	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Fiesta C all, excl. TDCi & Fusion (Mk 7)	04.02 / -	JH	40-4200	35 mm	
Fiesta C TDCi (Mk 7)	04.02 / -	JD	40-4210	35 mm	
Focus Sedan and Hatchback 1.4-1.8	98 / 10.04	DAW/DBW/DFW	40-8000	30 mm	
Focus Sed. & Hb. 2.0 & TD excl. RS & ST	98 / 10.04	DAW/DBW/DFW	40-8010	30 mm	
Focus ST 170	02 / -	DB1/DA1	40-8040	35 mm	
Focus Wagon 1.4 - 1.8	98 / 12.04	DNW	40-8020	30 mm	
Focus Wagon 2.0 and TD	98 / 12.04	DNW	40-8030	30 mm	
Fusion	09.02 / -	JU2	40-4230	30 mm	shorten fr. bumpstops by 20 mm
Galaxy	97 / -	WGR	80-8000	25 mm	
Ka	01.00 / -	RBT	40-2000/1	35 mm	
Ka	96 / 12.99	RBT	40-2000	35 mm	cylindrical rear spring
Mondeo Sedan / Hatchback 1,6-2,0	93 / 10.96	GBP	40-7000	40 mm	
Mondeo Stationwagon	93 / 10.96		40-7010	40 mm	
Mondeo Sedan / Hatchback 4-cyl	10.96 / 01	BFP, BAP	40-7011	30 mm	
Mondeo Sedan / Hatchback 6-cyl. and D	10.96 / 01	BFP, BAP	40-7012	30 mm	
Mondeo Stationwagon 4-cyl.	10.96 / 01	BNP	40-7020	30 mm	
Mondeo Stationwagon, V6 and D	10.96 / 01	BNP	40-7021	30 mm	
Mondeo Sedan / Hatchback 4-cyl	01 / -	B4Y, B5Y	40-7200	30 mm	
Mondeo Wagon 4-cyl	01 / -	B4Y, B5Y	40-7220	30 mm	2)
Mondeo Sedan / Hatchback V6 and D	01 / -	B4Y, B5Y	40-7210	30 mm	
Mondeo Wagon V6 and D	01 / -	B4Y, B5Y	40-7230	30 mm	2)
Orion	90 / 01.95	GAL, ALL	40-1010	30 mm	
Probe GT V6 24V	93 / -		40-6010	30 mm	
Puma	97 / -	ETC	40-2010	35 mm	
Sierra	84 / -	GBC-GBG	40-3000	35 mm	less lowering on XR4i
Sierra cylindr.	84 / -	GBC-GBG	40-3000cyl	35 mm	cylindrical spring
Sierra Cosworth	86 / -	GBC	40-3000/1	25 mm	

## FORD USA

<b>New!</b>	Mustang Coupe, 8 cyl	< 05	S197	41-2000	30 mm
<b>New!</b>	Mustang Coupe, 6 cyl	< 05	S197	41-2010	30 mm
	Mustang V8, excl. Cabrio, IRS and Cobra	79 / 93		41-1000	30 mm

## HONDA

<b>New!</b>	Accord Type R	98 / 03	CH1	180-2025	30 mm
	Accord low	86 / 89	CA4, CA5	180-2040	60 mm 1)
	Accord	89 / 98	CB3-7, CC1-7	180-2010	40 mm
	Accord	94 / 02	CD	180-2020	30 mm
	Accord (US-Asia type)	97 / 02		180-2050US	35 mm
	Accord sedan, 4 cyl. models	20.03 / -	CL7, CL 9	180-2200	35-40 mm
	Accord sedan, V6-3.0 models	02 / -		180-2210	35-40 mm
	City	00 / -		180-6000	35 mm
	Civic incl. CRX, excl. VTEC models	11.87 / 10.91	EC8-9, ED2-9	180-1000	40 mm
	Civic CRX -VTEC	08.90 / 10.91	EE8, EE9	180-1010	40 mm

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Civic all incl. Coupe	10.91 / 10.95	EG, EH, EJ,MB,MC	<b>180-3000</b>	40 mm	EG 2-9,EH6&9, EJ1&2 MA8&9, MB1-6
Civic all incl. Coupe , <i>reinforced</i>	10.91 / 10.95	EG, EH, EJ	<b>180-3000RF</b>	35 mm	
Civic 3-drs and Coupe, incl. VTi	10.95 / 10.99	EJ, EK	<b>180-3030</b>	40 mm	
Civic 3-drs and Coupe, incl. VTi, <i>reinforced</i>	10.95 / 10.99	EJ, EK	<b>180-3030RF</b>	35 mm	
Civic 5-drs ( UK build ).	10.95 / 03.01	M-series	<b>180-3031</b>	40 mm	
Civic 3-drs and Coupe, incl. VTi, <i>reinforced</i>	10.99 / 03.01	EJ, EK	<b>180-3030RF</b>	35 mm	
Civic all, excl. Type-R, Stream & TD	03.01 / -	ES4-8,EU7-8,EP1-2	<b>180-4000</b>	35 mm	
Civic Type-R	10.01 / -	EP3	<b>180-4010</b>	30 mm	
CRV II 4WD	08.02 / -	RD5	<b>180-7000</b>	30 mm	
Integra R 1,8-16V	03.98 / -	DC/EP3	<b>180-3030/1</b>	30 mm	
Jazz 1.4 all	03 / -	GD 1	<b>180-8000</b>	35 mm	
Prelude (incl.AWS)	10.87 / 03.92	BA4	<b>180-5010</b>	30 mm	
Prelude	04.92 / 01.97	BB1-3	<b>180-5000</b>	35 mm	
Prelude	02.97 / -	BB6-9	<b>180-5000</b>	35 mm	
S 2000	06.99 / -	AP1	<b>180-6500</b>	30 mm	

## HYUNDAI

Accent, Excel	94 / 97	X3	<b>210-4000</b>	35 mm	
Accent, Excel	97 / 00	X3	<b>210-4010</b>	35 mm	
Accent 1.5i	00 / -	LC	<b>210-4020</b>	35 mm	
Atos	04.98 / -		<b>210-5000</b>	30 mm	
Coupe 1.6, 1.8 & 2.0 (all 16V)	09.96 / 10.01	RD	<b>210-3000</b>	35 mm	
Coupe 2.0 16V & 2.7 V6	11.01 / -	GK	<b>210-3010</b>	35 mm	
Elantra	00 / -	XD	<b>210-2200</b>	35 mm	
Getz	02 / -	TB	<b>210-6000</b>	30 mm	
Lantra 2	95 / -	J-2	<b>210-2010</b>	35 mm	
S Coupe	90 / -	SLC	<b>210-1000</b>	35 mm	

## KIA

Rio	08.'00 / -		<b>310-3000</b>	35 mm	
Sephia	94 / -	FA	<b>310-1000</b>	35 mm	
Shuma	97 / -		<b>310-1000</b>	35 mm	

## LADA

Samara all	86 / -	2108	<b>220-1000</b>	40 mm	
------------	--------	------	-----------------	-------	--

## LANCIA

Delta	12.86 / 12.92	831	<b>90-2000</b>	35 mm	
Delta all FWD excl. HF Turbo	09.93 / 08.99	836	<b>90-2010</b>	40 mm	
Thema	11.84 / 07.94	834	<b>30-2000</b>	35 mm	
Ypsilon	01.96 / 09.03	840A	<b>90-3010</b>	30 mm	
Ypsilon	09.03 / -	843	<b>90-3200</b>	35 mm	

## LEXUS

IS 200	04.99 / -		<b>175-3000</b>	35 mm	
--------	-----------	--	-----------------	-------	--

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
-------	------	------	------------	-----------------	-----------------------------

## LINCOLN

LS V6	99 / -		<b>42-1000</b>	30 mm	
-------	--------	--	----------------	-------	--

## MAZDA

121	88 / 91	DA	<b>100-6000</b>	30 mm	
121	91 / 96	DB	<b>100-6010</b>	35 mm	
2	03 /	DY	<b>100-9200</b>	35 mm	
3	10.03 / -	BK	<b>100-2200</b>	30 mm	
323, Familia, Astina	90 / 94	BG	<b>100-2000</b>	35 mm	
323 F, Lantis	90 / 94	F	<b>100-2000F</b>	35 mm	
323, Familia, Astina	94 / 98	BA	<b>100-2010F</b>	40 mm	
323	98 / -	BJ	<b>100-2020</b>	40 mm	
323 F, Sportbreak	98 / -	BJ	<b>100-2030</b>	40 mm	
6 Sedan all	02 / -	GG	<b>100-1200</b>	35 mm	
6 Estate all	02 / -	GY	<b>100-1230</b>	35 mm	
626	92 / 97	GE	<b>100-1020</b>	35 mm	
626 4-cyl (excl. Station wagon)	97 / 02	GF	<b>100-1020</b>	35 mm	
MX3	91 / -	EC	<b>100-3000</b>	30 mm	
MX5	90 / 97	NA	<b>100-4000</b>	30 mm	
MX5	98 / -	NB	<b>100-4010</b>	30 mm	
MX6	01.92 / -	GE	<b>100-7000</b>	35 mm	
RX7 Turbo, GTU	86 / 92	FC	<b>100-8000</b>	30 mm	
RX8	03 / -	SE	<b>100-8200</b>	30 mm	
Xedos 6	92 / -	CA	<b>100-5000</b>	30 mm	

## MERCEDES

190, 190E, 190D, 190D- 2.5, 190E-2.3	83 / 92	W 201	<b>50-1000</b>	30 mm	4)
190E 2.5-16V	89 / 93	W 201	<b>50-1000/1</b>	25 mm	4)
200, 300, C, CE, D-Turbo	76 / 85	W 123	<b>50-4000</b>	35 mm	4)
200, 200 D, 230 E	85 / 96	W 124	<b>50-2000</b>	30 mm	4)
250D, 260 E, 300D, 300E	85 / 96	W 124	<b>50-2010</b>	30 mm	4)
260, 280 & 300	79 / 91	W 126	<b>50-3000 6cyl</b>	35 mm	4)
280, 300 320 & 500 SL	98 / 02	W 129	<b>50-7000</b>	30 mm	
380, 420, 500, 560, 300TD & 350TD	80 / 91	W 126	<b>50-3010 8cyl</b>	30 mm	4)
C-Class 4-cyl. all	93 / 95	W 202	<b>50-6000</b>	30 mm	
C-Class 5-6 cyl.	93 / 95	W 202	<b>50-6010</b>	30 mm	
C-Class 4-cyl. all, excl. T-model	96 / 00	W 202	<b>50-6000/1</b>	30 mm	
C-Class 5-6 cyl. excl. T-model	96 / 00	W 202	<b>50-6010/1</b>	30 mm	
C-Class, all excl. Kombi	00 / -	W 203	<b>50-6030</b>	40 mm	
CLK coupe 4-cyl.	96 / 04.02	C 208	<b>50-6000/1</b>	30 mm	
CLK coupe 5-6 cyl.	96 / 04.02	C 208	<b>50-6010/1</b>	30 mm	
CLK cabriolet 4 cyl.	96 / 04.02	C 208	<b>50-6020</b>	30 mm	
CLK cabriolet 5-6 cyl.	96 / 04.02	C 208	<b>50-6025</b>	30 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
CLK 200, 240 & 320	04.02 / -	C 209	<b>50-6030</b>	35 mm	
E-Class 4-5 cyl all, incl. T(D)	95 / 02	W 210	<b>50-8000</b>	35 mm	
E-Class 6-8cyl all, incl. T(D)	95 / 02	W 210	<b>50-8010</b>	35 mm	
S-Class V8 models excl. cars with ADC	91 / 12.94	W 140, 140 C	<b>50-5000 8cyl</b>	30 mm	2)
S-Class V6 models excl. cars with ADC	91 / 12.94	W 140, 140C	<b>50-5000 6cyl</b>	30 mm	2)
SLK	96 / -	R 170	<b>50-11000</b>	35 mm	

## MG

MG TF	05.03 / -	RD	<b>200-4000</b>	30 mm	only for cars with steel springs
-------	-----------	----	-----------------	-------	----------------------------------

## MINI

Mini One	01 / 03.02		<b>25-1000</b>	30 mm	
Mini Cooper	01 / 03.02		<b>25-1000/1</b>	30 mm	
Mini One	04.02 / -		<b>25-2000</b>	30 mm	
Mini Cooper & Cooper "S"	04.02 / -		<b>25-2000/1</b>	30 mm	

## MITSUBISHI

Carisma 1.8 models	95 / 06.99	DA0	<b>260-4000</b>	35 mm	
Carisma model 2000 on	07.99 / -	DA0	<b>260-4010</b>	35 mm	
Colt all, excl. GTi	92 / 05.96	CA0	<b>260-2000</b>	40 mm	
Colt 1.8 GTi	92 / 05.96	CA5A	<b>260-2010</b>	40 mm	
Colt V / Lancer	05.96 / -	CJ0	<b>260-2050</b>	40 mm	
Eclipse 2WD, incl. Turbo, Talon	11.95 / -	D30	<b>260-3030</b>	35 mm	
Eclipse	91 / 11.95	D20	<b>260-3000</b>	35 mm	
Eclipse 4WD GSX, incl. Turbo	91 / 11.95	D22A	<b>260-3020</b>	30 mm	
FTO 1.8-2.0	91 / 98		<b>260-7050</b>	45 mm	
Galant, Ultima	93 / 96	E50	<b>260-1000</b>	40 mm	
Galant V6 excl. Combi	99 / -	EA0	<b>260-1010</b>	40 mm	
Lancer EVO IV, V & VI	8.96 / 00	CN9A, CP9A	<b>260-2060</b>	35 mm	
Lancer EVO VII & VIII	01 / -	CT9A	<b>260-2080</b>	40 mm	
<b>New!</b> Lancer Sedan	04 / -	CS0	<b>260-2220</b>	35 mm	
<b>New!</b> Lancer Stationwagon	04 / -	CS0	<b>260-2230</b>	35 mm	
Lancer Cedia	02 / -	CS3	<b>260-2200</b>	30 mm	

## NISSAN

100NX	91 / -	B13	<b>110-5000</b>	30 mm	
200 SX	89 / 94	S13	<b>110-3000</b>	30 mm	
200 SX	94 / -	S14	<b>110-7000</b>	30 mm	
350 Z	09.03 / -	Z33	<b>110-7200</b>	30 mm	
Almera, excl. 1,4	95 / 10.97	N15	<b>110-8000</b>	35 mm	
Almera 1.4	95 / 10.97	N15	<b>110-8010</b>	35 mm	
Almera	10.97 / 02.00	N15	<b>110-8030</b>	35 mm	Rear spring inner dia. 79mm!
Almera	10.97 / 02.00	N15	<b>110-8030/1</b>	35 mm	Rear spring inner dia. 69mm!
Almera all, excl. TD.	02.00 / -	N16	<b>110-8020</b>	35 mm	Rear spring inner dia. 79mm!
Almera TD	02.00 / -	N16	<b>110-8022</b>	35 mm	Rear spring inner dia. 79mm!

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Almera all, excl. TD.	02.00 / -	N16	<b>110-8020/1</b>	35 mm	Rear spring inner dia. 69mm!
Almera TD	02.00 / -	N16	<b>110-8022/1</b>	35 mm	Rear spring inner dia. 69mm!
Cefiro		A31	<b>110-4000</b>	35 mm	
Maxima	95 / 01.99	A32	<b>110-4010</b>	30 mm	
Micra	92 / 03	K11	<b>110-6010</b>	30 mm	
Micra all, excl. 1.0	03 / -	K12	<b>110-6200</b>	30 mm	
Micra 1.0	03 / -	K12	<b>110-6220</b>	30 mm	
Primera 2.0	90 / 96	P10	<b>110-2000</b>	30 mm	
Primera all, excl. Diesel	96 / 02	P11	<b>110-2050</b>	35 mm	
Primera Sedan 1.6, 1.8 & 2.0	02 / -	P12	<b>110-2200</b>	35 mm	
Primera Sedan 2.2 Diesel	02 / -	P12	<b>110-2210</b>	35 mm	
Primera Station 1.6, 1.8 & 2.0	02 / -	W12	<b>110-2230</b>	35 mm	
Primera Station 2.2 Diesel	02 / -	W12	<b>110-2240</b>	35 mm	
Sunny	89 / 91	N13	<b>110-1000</b>	30 mm	
Sunny	91 / 95	N14	<b>110-1010</b>	35 mm	

## OPEL

Agila excl. diesel	08.00 / -	H00	<b>60-14000</b>	35 mm	
Ascona B L, L - SR, SR, Berlina	75 / 81	B	<b>60-1000</b>	40 mm	
Ascona B L, L - SR, SR, Berlina	75 / 81	B	<b>60-4000</b>	<b>60 mm</b>	1)
Ascona C C & CC	81 / 88	C	<b>60-7000</b>	30 mm	
Ascona C C & CC cyl.	81 / 88	C	<b>60-7000cyl</b>	30 mm	
Astra F /F-CC/ Cabrio 1.4 - 2.0 8V	91 / 98	F	<b>60-11100</b>	40 mm	
Astra F /F-CC 2.0, excl. Cabrio	91 / 98	F	<b>60-11200</b>	40 mm	
Astra F Caravan & Kombi 1.6 - 1.8	91 / 98	F	<b>60-11300</b>	40 mm	2)
Astra F Caravan & Kombi 2.0, D, TD	91 / 98	F	<b>60-11310</b>	40 mm	2)
Astra G Sedan & hatchback 1.4 -1.6	98 / 04	T98	<b>60-11500</b>	35 mm	
Astra G Sedan & hatchback all excl. 1.4 - 1.6	98 / 04	T98	<b>60-11510</b>	35 mm	less lowering on OPC
Astra G Coupe all	00 / 04	T98	<b>60-11510</b>	40 mm	
Astra G Caravan 1.6 all	98 / 04	T98 kombi	<b>60-11600</b>	35 mm	
Astra G Caravan all excl. 1.6	98 / 04	T98 kombi	<b>60-11610</b>	35 mm	less lowering on OPC
Calibra all, excl. V6 & Turbo 4WD	90 / -	A	<b>60-8010</b>	30 mm	
Calibra 4x4	92 / -	A	<b>60-8030</b>	30 mm	
Corsa A	83 / 93	A	<b>60-9000</b>	40 mm	
Corsa A	83 / 93	A	<b>60-9010</b>	<b>60 mm</b>	1)
Corsa B all	93 / 00	B	<b>60-9020</b>	40 mm	
Corsa B & Tigra A	93 / 00	B, S93	<b>60-9030</b>	<b>60/40 mm</b>	1)
Corsa C, all	00 / -	C	<b>60-9050</b>	40 mm	less lowering on OPC
Kadett C 1.6 - 2.0 excl. City, Caravan, Aero	74 / 79	C	<b>60-5010</b>	<b>60 mm</b>	1)
Kadett C 1.6 - 2.0 excl. City, Caravan, Aero	74 / 79	C	<b>60-5000/2</b>	40 mm	1)
Kadett D all	82 / 84	D	<b>60-6000</b>	35 mm	
Kadett E-CC LS, GL, GLS, GT	84 / 91	E	<b>60-2000</b>	30 mm	
Kadett E,E-CCE LS, GSI, Sprint af 85 kw	84 / 91	E	<b>60-2010</b>	30 mm	
Kadett E Caravan, all	84 / 91	E kombi	<b>60-2030</b>	55 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Manta B	75 / 81	B	<b>60-1000</b>	40 mm	
Manta B	75 / 81	B	<b>60-4000</b>	<b>60 mm</b>	
Omega B excl. 2.2 D	04.94 / 05.00	V94	<b>60-3000</b>	40 mm	Max. front axle load -/970 kg.
Omega B MV6	04.94 / 05.00	V94	<b>60-3010</b>	40 mm	Max. front axle load 970/- kg.
Omega B Caravan excl. 2.2 D	04.94 / 05.00	V94 kombi	<b>60-3000/CAR</b>	40 mm	2) Max. fr. axle load -/970 kg.
Omega B GL, CD, MV6 Caravan	04.94 / 05.00	V94 kombi	<b>60-3010/CAR</b>	40 mm	2) Max. fr. axle load 970/- kg.
Tigra A	94 / 00	S93 coupe	<b>60-12000</b>	30 mm	
Tigra A	94 / 00	S93	<b>60-9031</b>	<b>60/40 mm</b>	1)
Tigra TT	04 / -	B	<b>60-9070</b>	40 mm	
Vectra A excl. 2000 & V6	88 / 95	A, A-CC	<b>60-8000</b>	35 mm	
Vectra A 2000 excl. 4 x 4	89 / 95	A	<b>60-8020</b>	30 mm	
Vectra B Sedan & HB 1.6, 1.8 excl. 1.8 Auto	95 / -	J96	<b>60-8050</b>	35 mm	
Vectra B Sedan & HB 1.8 Auto,DTi 2.2	95 / -	J96	<b>60-8051</b>	35 mm	
Vectra B <b>Caravan</b> 1.6, 1.8 excl. 1.8 Auto	95 / -	J96 kombi	<b>60-8050/2CAR</b>	35 mm	
Vectra B <b>Caravan</b> 1.8 Auto, DTi 2.2	95 / -	J96 kombi	<b>60-8051/2CAR</b>	35 mm	
Vectra C sedan	02 / -		<b>60-8200</b>	35 mm	Max. front axle load -/1000kg.
Vectra C sedan	02 / -		<b>60-8210</b>	35 mm	Max. front axle load 1000/- kg.
Zafira A all excl. 2.2i auto, 2.0DTi	01.99 / 05	T98 monocab	<b>60-11700</b>	30 mm	less lowering on OPC
<b>New!</b> Zafira B 1.6, 1.8	05 / -	A-H monocab	<b>60-8280</b>	35mm	
<b>New!</b> Zafira B 2.0T, 2.2, 1.9CDTi	05 / -	A-H monocab	<b>60-8280</b>	35mm	

## PEUGEOT

	106	92 / -		<b>70-4000</b>	30 mm	14)
	106 Rallye 1.3	92 / 3.96		<b>70-4010</b>	30 mm	14)
	106 Rallye 1.6	04.96 / -		<b>70-4000</b>	30 mm	14)
<b>New!</b>	107	05 / -	P	<b>70-4200</b>	35 mm	
	205 all, excl. GTi , CTi and Diesel	83 / -	741 A/G	<b>70-1000</b>	30 mm	
	205 GTi, CTi and Rallye	02.84 / -	20 C/D	<b>70-1010</b>	30 mm	
	205	83 / -		<b>70-1020</b>	<b>50 mm</b>	1)
	206 Hatchback all, excl. HDi-2.0	06.99 / -	2C..2A	<b>70-1050</b>	35 mm	incl. RC model
	206 Hatchback HDi-2.0	06.99 / -	2C..2A	<b>70-1070</b>	35 mm	
	206 SW all, excl. HDi-2.0	06.99 / -	2C..2A	<b>70-1050</b>	35 mm	incl. RC model
	206 SW HDi-2.0	06.99 / -	2C..2A	<b>70-1070</b>	35 mm	
	206 Hatchback and SW all, excl. 2.0-HDi	06.99 / -	2C..2A	<b>70-1060</b>	<b>60 mm</b>	
	206 Hatchback and SW 2.0-HDi	06.99 / -	2C..2A	<b>70-1050</b>	<b>60 mm</b>	
	206 CC-1.6	06.99 / -	2C..2A	<b>70-1050</b>	35 mm	
	206 CC-2.0 and HDi-2.0	06.99 / -	2C..2A	<b>70-1070</b>	35 mm	
	306 all, excl. Xsi, Gti, Diesel	93 / 03	7,7A,7D	<b>70-6000</b>	30 mm	
	306 (t)D, Xsi, Gti, excl. 6-sp gearbox	93 / 03	7A	<b>70-6010</b>	30 mm	
	307 Hatchback 1.6	03.01 / -		<b>70-6200</b>	35 mm	
	307 Hatchback 1.6	03.01 / -		<b>70-6260</b>	<b>60/40 mm</b>	
	307 Hatchback 2.0-16V & 2.0 Hdi	03.01 / -		<b>70-6210</b>	35 mm	
	307 Hatchback 2.0-16V & 2.0 Hdi	03.01 / -		<b>70-6265</b>	<b>60/40 mm</b>	
	307 CC 1.6	03 / -		<b>70-6230</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
307 CC 2.0-16V	03 / -		<b>70-6240</b>	35 mm	
307 SW and Break 1.6	03.01 / -		<b>70-6230</b>	35 mm	
307 SW and Break 1.6	03.01 / -		<b>70-6270</b>	<b>60/40 mm</b>	
307 SW and Break 2.0-16V & 2.0 Hdi	03.01 / -		<b>70-6240</b>	35 mm	
307 SW and Break 2.0-16V & 2.0 Hdi	03-01 / -		<b>70-6275</b>	<b>60/40 mm</b>	
309	02.86 / 02.93	3A	<b>70-5000</b>	35 mm	
309 GTi	01.87 / 02.93	3C	<b>70-5010</b>	35 mm	
405	09.87 / 09.95	15B, 15E	<b>70-3000</b>	30 mm	
405 Mi-16, D, TD	09.87 / 09.95	15B, 15E	<b>70-3020</b>	30 mm	
406 Sedan 1.6-1.8	96 / -		<b>70-7000</b>	35 mm	
406 Sedan 2,0, 2,2 TD, HDi	96 / -		<b>70-7010</b>	35 mm	
406 Break all	97 / -	F	<b>70-7020</b>	35 mm	
406 Coupe 4-cyl	97 / -	8RFV	<b>70-7030</b>	30 mm	
406 Coupe V6	97 / -	8XFZ	<b>70-7031</b>	30 mm	

## PROTON

Coupe	03.97 / -		<b>280-2020</b>	30 mm	
Iswara 1.3, 1.5	94 / -		<b>280-1000</b>	30 mm	
Perdana	96 / -		<b>260-1020</b>	30 mm	
Wira, Setria 1,6	94 / -		<b>280-2000</b>	30 mm	
Wira, 1,3 - 1,5	94 / -		<b>280-2010</b>	30 mm	

## RENAULT

	19 all, up to 85KW	89 / 96	B,C & D53	<b>150-2000</b>	30 mm	
	19 from 85KW, ex 16V	89 / 96	B,C & D53	<b>150-2010</b>	30 mm	
	19 16V	89 / 96	X, B,C & D53	<b>150-2020</b>	25 mm	
	Clio I all, excl. 16V	01.91 / 09.98	B & C 57	<b>150-4000</b>	40 mm	
	Clio I 16V, Williams	01.91 / 09.98	B & C 57	<b>150-4010</b>	30 mm	
	Clio I 16V, Williams	01.91 / 09.98	B & C 57	<b>150-4020</b>	<b>50 mm</b>	1)
	Clio II all, excl. 2.0 Sport and V6.	09.98 / 05	BB0-2,CB0-2 SB0	<b>150-4050</b>	40 mm	Coil spring rear axle
	Clio II 2.0 Sport	99 / 05	BB0-2,CB0-2 SB0	<b>150-4051</b>	40 mm	
	Clio II 1.2, 1.4 and 1.6	09.98 / 05	BB0-2,CB0-2 SB0	<b>150-4060</b>	<b>60 / 40 mm</b>	
<b>New!</b>	Clio III 1.2 all	05 / -	BR0/CR0	<b>150-4200</b>	35 mm	
<b>New!</b>	Clio III 1.4, 1.6, 1.5DCi all	05 / -	BR0/CR0	<b>150-4210</b>	35 mm	
	Laguna I 1,8 - 2,0	93 / 01	B56 & K56	<b>150-6000</b>	35 mm	
	Laguna I 3,0 - 2,2 Diesel	93 / 01	B56 & K56	<b>150-6010</b>	35 mm	
	Laguna II Sedan 1,6 - 2,0 and 1.9dCi	01 / -	BGO	<b>150-6200</b>	35 mm	Less lowering on 2005/- models
	Laguna II Grand Tour 1.6-2.0 & 1.9dCi	01 / -	KGO	<b>150-6230</b>	35 mm	Less lowering on 2005/- models
	Megane all, incl. Scenic & Cabrio (see note)	95 / 03	B,D,L,E,K & JA	<b>150-7000</b>	30 mm	Max. front axle load - / 880 kg.
	Megane all, incl. Scenic & Cabrio (see note)	95 / 03	B,D,L,E,K & JA	<b>150-7020</b>	30 mm	Max. front axle load 880 / - kg.
	Megane 2.0-16V	95 / 03	BA, DA & EA	<b>150-7010</b>	30 mm	
	Megane Hatchb. 1.4, 1.6 (excl auto), 1.5DCi	11.02 / -	CMO & BMO	<b>150-7200</b>	30 mm	
	Megane Hatchb. 1.6-Auto, 2.0 & 1.9DCi	11.02 / -	CMO & BMO	<b>150-7210</b>	30 mm	
<b>New!</b>	Megane CC	11.02 / -	M	<b>150-7250</b>	30 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
R5 GTE/GT Turbo,	89 / -	B & C405S	<b>150-1010</b>	35 mm	
R5 GT Turbo, Supercinq	89 / -	B & C405S	<b>150-1020</b>	<b>60 mm</b>	1)
Twingo	92 / -	C06	<b>150-5000</b>	30 mm	
Twingo	92 / -	C06	<b>150-5020</b>	<b>50 mm</b>	

## ROVER

214/216-414/416	90 / -	RF	<b>200-1000</b>	30 mm	
214I, 214SI, 200 Vi - ex.D	96 / 99	RF	<b>200-2000</b>	35 mm	
25	99 / -	RF	<b>200-2000</b>	35 mm	
400	95 / 99	RT	<b>200-1010</b>	35 mm	
45	99 / -	RT	<b>200-1010</b>	35 mm	
75 4 cyl.	99 / -	RJ	<b>200-3000</b>	35 mm	
75 V6 and Diesel	99 / -	RJ	<b>200-3010</b>	35 mm	

## SAAB

9000 2.0	2.85-9.97		<b>350-3000</b>	35 mm	
9.3 (incl.cabrio)	98 / -		<b>350-2000</b>	35 mm	
9.5	98 / -		<b>350-1000</b>	35 mm	

## SEAT

Alhambra	97 / -	7MS	<b>80-8000</b>	25 mm	
Altea / Toledo 1.6	2004	5P	<b>80-7230</b>	30 mm	
Altea / Toledo 2.0 FSI & TDi all	2004	5P	<b>80-7240</b>	30 mm	
Arosa	05.97 / -	6H & HS	<b>130-4000</b>	40 mm	
Cordoba (see note)	93 / -	6K/C	<b>130-2030</b>	30 mm	Max loads fr = 850 kg, rear= 750
Cordoba Vario (see note)	97 / -	6K/C	<b>130-2032</b>	30 mm	Max loads fr = 850 kg
Cordoba 1.4i all, 1.9 SDi & 1.4TDi	02 / -	6L	<b>80-9000</b>	35 mm	
Cordoba 1.9 TDi	02 / -	6L	<b>80-9010</b>	35 mm	
Ibiza 1.0, 1.3, 1.4	93 / 02	6K	<b>130-2020</b>	30 mm	
Ibiza 1.6, 1.8, 2.0, D, TD.	93 / 02	6K	<b>130-2000</b>	30 mm	
Ibiza Cupra	97 / 02	6K	<b>130-2010</b>	30 mm	
Ibiza 1.2i	02 / -	6L	<b>80-9020</b>	35 mm	
Ibiza 1.4i all, 1.9 SDi & 1.4TDi	02 / -	6L	<b>80-9000</b>	35 mm	
Ibiza 1.9 TDi	02 / -	6L	<b>80-9010</b>	35 mm	
Ibiza FR, Cupra & TDi	04 / -	6L	<b>80-9050</b>	25 mm	
Leon 1.4 - 1.8 and D	99 / -	1M	<b>130-3050</b>	30 mm	
<b>New!</b> Leon all	08.05 / -	1P	<b>80-7250</b>	40 mm	
<b>New!</b> Leon 1.8T & TDi	99 / -	1M	<b>130-3051</b>	30 mm	
Toledo all	91 / 98	1L	<b>130-3000</b>	30 mm	
Toledo excl. V5	98 / 04	1M	<b>130-3020</b>	35 mm	
Toledo Cupra 4WD & Leon 4WD	99 / 04	1M	<b>130-3040</b>	30 mm	

## SKODA

Fabia 1.0 all. excl. Station Wagon	00 / -	6Y	<b>80-9020</b>	35 mm	
Fabia 1.4 all, excl. Station Wagon	00 / -	6Y	<b>80-9000</b>	35 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Fabia 1.9, 2.0 & (T)D all, excl. Station	00 / -	6Y	<b>80-9010</b>	35 mm	Less lowering on RS models
Octavia sedan 4x4	00 / -	1U	<b>80-7080</b>	45 mm	
Octavia sedan	09.97 / -	1U	<b>80-7000</b>	45 mm	
Octavia estate	10.98 / -	1U	<b>80-7040</b>	35 mm	
Octavia estate 4x4	00 / -	1U	<b>80-7090</b>	35 mm	
<b>New!</b> Octavia sedan 2wd, 1.4 , 1.6	03.04 / -	1Z	<b>80-7230</b>	35 mm	
<b>New!</b> Octavia sedan 2wd all, excl. 1.4 , 1.6	03.04 / -	1Z	<b>80-7240</b>	35 mm	
<b>New!</b> Octavia estate 2wd, 1.4 , 1.6	03.04 / -	1Z	<b>80-7230</b>	35 mm	
<b>New!</b> Octavia estate 2wd all, excl. 1.4 , 1.6	03.04 / -	1Z	<b>80-7240</b>	35 mm	

## SMART

Smart (only for cars with coil springs front axle)	01.01 / -	MC01	<b>55-1000</b>	20 mm	
Smart Roadster / Coupe	03 / -	452	<b>55-2000</b>	20 mm	

## SUBARU

Impreza 2.0 GT Turbo	08.92 / 01	GC, GF, GFC	<b>320-1000</b>	35 mm	
Impreza WRX, excl. STi	01 / 03	GD	<b>320-1050</b>	40 mm	
Impreza WRX, sedan & wagon, excl. STi	facelift 03 / -	GD	<b>320-1200</b>	30 mm	not for 6-sp gearbox

## SUZUKI

Baleno, 2 door, excl.4WD	95 / -	EG	<b>140-4000</b>	35 mm	
Baleno, 4 door and estate, excl.4WD	95 / -	EG	<b>140-4010</b>	35 mm	
Forenza	03 / -		<b>290-6000</b>	35 mm	
Ignis all 3d, excl. 1.5 Sport and 4WD	02 / -	RG	<b>140-5000</b>	35 mm	
Ignis Sport , excl. 4WD	03 / -	RG	<b>140-5040</b>	35 mm	
Swift GL, GLX, GXi, GTi	- / 89	AA33 / 43 / 53	<b>140-1000</b>	35 mm	
Swift	89 / 96	EA	<b>140-2000</b>	35 mm	
Swift+ (USA)	02 / -		<b>290-5000</b>	30 mm	
<b>New!</b> Swift all 2wd, excl. Diesel	05 / -	ZA/ZC	<b>140-2200</b>	30 mm	
<b>New!</b> Swift all 2wd, excl. Diesel, Xtra Lo	05 / -	ZA/ZC	<b>140-2250</b>	<b>45 mm</b>	
<b>New!</b> Swift Diesel 2wd	05 / -	ZA/ZC	<b>140-2210</b>	30 mm	
Vitara	88 / -	ET/TA	<b>140-3000</b>	40 mm	"On road" use only!
Wagon R+ excl. diesel	06.00 / -	MM	<b>140-14000</b>	35 mm	

## TOYOTA

Avensis Station Wagon all excl. Dsl. & Verso	98 / 03.03	T22	<b>170-3020</b>	40 mm	
Avensis all excl. Station Wagon	04.03 / -	T25	<b>170-3200</b>	35 mm	
<b>New!</b> Aygo	05 / -	AB1	<b>70-4200</b>	35 mm	
Camry 6-cyl	91 / 97	V10	<b>170-7010</b>	35 mm	
Camry 2.2 4-cyl	97 / -		<b>170-7050</b>	30 mm	
Camry Saloon	02 / -		<b>170-7200</b>	30 mm	
Carina E	92 / -	T19	<b>170-3000</b>	30 mm	
Celica	81 / 89	T16	<b>170-1010</b>	40 mm	
Celica	90 / 99	T18, T18C, T20	<b>170-1000</b>	35 mm	
Celica	10.99 / -	ZZT230/231	<b>170-1040</b>	35 mm	not for rear shock 2B760 !

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Corolla RWD	85 / 87	AE86	<b>170-2010</b>	30 mm	
Corolla excl. 4WD	05.87 / 04.92	E9	<b>170-6000</b>	30 mm	
Corolla	92 / 97	E10	<b>170-2000</b>	30 mm	
Corolla	97 / 01	E11	<b>170-2020</b>	35 mm	
Corolla Stationwagon	97 / 01	E11	<b>170-2025</b>	35 mm	
Corolla 1.4 - 1.8 Hatchb. & sedan	01 / -	E12U/J	<b>170-2200</b>	40 mm	
Corolla 2.0D Hatchb. & sedan	01 / -	E12U/J	<b>170-2220</b>	40 mm	
Corolla 1.4 - 1.8 Estate	01 / -	E12T	<b>170-2210</b>	<b>40/30</b> mm	
Corolla 2.0D Estate	01 / -	E12T	<b>170-2230</b>	<b>40/30</b> mm	
Corolla Altis ( Asian version)	00 / -		<b>170-2070</b>	35 mm	
<b>New!</b> Corolla 1.6 - 1.8 Verso	02 / -	E12J1	<b>170-2215</b>	40/30 mm	
<b>New!</b> Corolla 2.0 - 2.2D Verso	02 / -	E12J1	<b>170-2235</b>	40/30 mm	
MR2	85 / 90		<b>170-8010</b>	30 mm	
MR2	90 / 99		<b>170-8000</b>	30 mm	
MR2	00 / 02	W3	<b>170-8200</b>	30 mm	
Paseo	96 / -		<b>170-5010</b>	35 mm	
Starlet	86 / 89	P7	<b>170-4000</b>	35 mm	
Starlet	89 / 96	P8	<b>170-5000</b>	35 mm	
Starlet	96 / -	P9	<b>170-5010</b>	35 mm	
Supra Turbo	86 / 93	A70. A71	<b>170-9010</b>	30 mm	
Vios, Soluna Vios	10.02 / -		<b>170-5056</b>	45 mm	170-5055 is for 30 mm lowering
<b>New!</b> Wish, all 2wd	03 / 05		<b>170-3250</b>	35 mm	
Yaris / Vitz all excl. Verso	04.99 / -	P1, P1F	<b>170-5055</b>	35 mm	
Yaris Verso	04.99 / -	P1, P1F	<b>170-5050</b>	35 mm	

## VAUXHALL

Astra 3 1.4 - 2.0 incl 1.6 16V	91 / 98	F	<b>60-11100</b>	40 mm	
Astra 3 1.8-16V, 2.0-16V, excl. Cabrio	91 / 98	F	<b>60-11200</b>	40 mm	
Astra 4 saloon & hatchback 1.4 -1.6	98 / 04	T98	<b>60-11500</b>	35 mm	
Astra 4 saloon & hatchback all excl. 1.4 - 1.6	98 / 04	T98	<b>60-11510</b>	35 mm	less lowering on OPC
Astra 4 Coupe all	00 / 04	T98	<b>60-11510</b>	40 mm	
Calibra all, excl. V6 & Turbo 4WD	90 / -	A	<b>60-8010</b>	30 mm	
Corsa all	93 / 00	B	<b>60-9020</b>	40 mm	
Corsa C, all	00 / -	C	<b>60-9050</b>	40 mm	less lowering on OPC
Tigra	94 / 00	S93 coupe	<b>60-12000</b>	30 mm	
Tigra TT	04 / -	B	<b>60-9070</b>	40 mm	
Vectra B saloon & HB 1.6, 1.8 excl. 1.8 Auto	95 / -	J96	<b>60-8050</b>	35 mm	
Vectra B saloon & HB 1.8 Auto,DTi 2.2	95 / -	J96	<b>60-8051</b>	35 mm	

## VOLKSWAGEN

Beetle 1302, 1303	74 / -	1300	<b>80-5010</b>	40 mm	
Bora	97 / -	1J	<b>80-7070</b>	<b>50 mm</b>	7)
Bora 2-wd, 4-cyl. models excl. (T)Diesel	98 / -	1J	<b>80-7050</b>	40 mm	Max. front axle load -/920 kg.
Bora 2-wd, VR5 and (T)Diesel	98 / -	1J	<b>80-7051</b>	40 mm	7) Max. front axle load 921/- kg.

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Bora 4-MOTION	99 / -	1J	<b>80-7080</b>	35 mm	7)
Bora Variant 2-wd, 4-cyl , excl. (T)Diesel	99 / -	1J	<b>80-7060</b>	40 mm	7) Max. front axle load -/910 kg.
Bora Variant 2-wd, VR5 and (T)Diesel	99 / -	1J	<b>80-7061</b>	40 mm	7) Max. front axle load 911/- kg.
Bora Variant 4-Motion	99 / -	1J	<b>80-7090</b>	30 mm	7)
Corrado all, excl. VR6	88 / 95	53i	<b>80-2070</b>	35 mm	
Corrado VR6	91 / 95	53i	<b>80-6010</b>	35 mm	
Golf I, incl. Cabrio	74 / -	17CK,155	<b>80-1000</b>	30 mm	5)
Golf I, incl. Cabrio	74 / -	17CK,155	<b>80-1010</b>	<b>60 mm</b>	1) 5)
Golf II, excl. (T)D, 16V, G60, Syncro	83 / 91	19E	<b>80-2000</b>	30 mm	5)
Golf II 16V, (T)D	83 / 91	19E	<b>80-2010</b>	40 mm	
Golf II excl. G60, Syncro	83 / 91	19E	<b>80-2030</b>	<b>60 mm</b>	1)
Golf III incl. Cabrio	91 / 08.94	1HX0,1EX0	<b>80-6000</b>	40 mm	large top Ø !
Golf III 16V, GTi, VR6, TDi	91 / 08.94	1HXO	<b>80-6010</b>	30 mm	large top Ø !
Golf III	91 / 08.94	1HXO	<b>80-6020</b>	<b>60 mm</b>	1) large top Ø !
Golf III	09.94 / 08.97	1HXO	<b>80-6000/1</b>	30 mm	small top Ø !
Golf III 16V, GTi, VR6, TDi	09.94 / 08.97	1HXO	<b>80-6010/1</b>	30 mm	small top Ø !
Golf III	09.94 / 08.97	1HXO	<b>80-6020/1</b>	<b>60 mm</b>	1) small top Ø !
Golf III Variant , excl. TDi, SDi	09.94 / 08.97	1HXO	<b>80-6030/1</b>	30 mm	small top Ø !
Golf III Variant TDi, SDi	09.94 / 08.97	1HXO	<b>80-6050/1</b>	30 mm	small top Ø !
Golf III <b>60/40</b>	91 / 08.94	1HXO	<b>80-6040</b>	<b>60/40 mm</b>	1) large top Ø !
Golf III <b>60/40</b>	09.94 / 08.97	1HXO	<b>80-6040/1</b>	<b>60/40 mm</b>	1) small top Ø !
Golf IV 2-wd, 4-cyl , excl. (T)Diesel	09.97 / 03	1J	<b>80-7000</b>	45 mm	7)
Golf IV 2-wd, VR5 and (T)Diesel	09.97 / 03	1J	<b>80-7010</b>	45 mm	7)
Golf IV	97 / 03	1J	<b>80-7070</b>	<b>50 mm</b>	7)
Golf IV Variant 2-wd 4-cyl , excl. (T)Diesel	99 / -	1J	<b>80-7030</b>	45 mm	7)
Golf IV Variant 2-wd VR5 and (T)Diesel	99 / -	1J	<b>80-7040</b>	45 mm	7)
Golf IV 4-MOTION	99 / -	1J	<b>80-7080</b>	35 mm	7)
Golf IV Variant 4-MOTION	99 / -	1J	<b>80-7090</b>	30 mm	7)
Golf V (& Plus) 2-wd, 4-cyl , excl. TDi & GTI	11.03 / -	1K	<b>80-7200</b>	35 mm	
Golf V (& Plus) 2-wd, TDi (4-cyl) all	11.03 / -	1K	<b>80-7210</b>	35 mm	
Golf V GTi	04 / -	1K	<b>80-7250</b>	35 mm	
Jetta I	74 / -	17CK,155	<b>80-1000</b>	30 mm	5)
Jetta I	74 / -	17CK,155	<b>80-1010</b>	<b>60 mm</b>	1) 5)
Jetta II, excl. (T)D, 16V	83 / 91	19E	<b>80-2000/1</b>	30 mm	5)
Jetta II , excl. (T)D, 16V	83 / 91	19E	<b>80-2030</b>	<b>60 mm</b>	1)
<b>New!</b> Jetta 1.6	08.05 / -	1KM	<b>80-7300</b>	40-30mm	
<b>New!</b> Jetta 2.0 & TDi	08.05 / -	1KM	<b>80-7310</b>	40-30mm	
Lupo all, excl 3L.	98 / -	6X	<b>80-3060</b>	40 mm	
New Beetle 2-wd	09.97 / -	1C/9C	<b>80-7020</b>	45 mm	
New Beetle Cabrio	03 /		<b>80-7025</b>	45 mm	
New Beetle RSi	01 / -	9CR	<b>10-3010</b>	25 mm	
Passat Sedan chassisno. -> / 31PO26435	88 / 93	35i	<b>80-4000/1</b>	40 mm	
Passat Sedan chassisno. 31PO26436 / ->	93 / 96	35i	<b>80-4000/2</b>	40 mm	
Passat Variant chassisno. -> / 31PO26435	88 / 93	35i	<b>80-4010/1</b>	40 mm	

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
Passat Variant chassiso. 31PO26436 / ->	93 / 96	35i	<b>80-4010/2</b>	40 mm	
Passat Sedan 4 cyl. excl. TDi	97 / 05	3B	<b>80-4050</b>	40 mm	
Passat Sedan 5 cyl. and 4 cyl. TDi	97 / 05	3B	<b>80-4051</b>	40 mm	
Passat Sedan all 6 cyl. models	97 / 05	3B	<b>80-4051/2</b>	40 mm	
Passat Variant 4 cyl. excl. TDi	97 / 05	3B	<b>80-4052</b>	35 mm	
Passat Variant 5 cyl. and 4 cyl. TDi	97 / 05	3B	<b>80-4052/1</b>	35 mm	
Passat Variant all 6 cyl. models	97 / 05	3B	<b>80-4052/2</b>	35 mm	
Passat Syncro all 4 cyl. excl. TDi	97 / 05	3B	<b>80-4053</b>	35 mm	
Passat Syncro 5 cyl. and 4 cyl. TDi	97 / 05	3B	<b>80-4053/1</b>	35 mm	
Passat Syncro all 6 cyl. models	97 / 05	3B	<b>80-4053/2</b>	35 mm	
<b>New!</b> Passat Sedan petrol, non Turbo	03.05 / -	3C	<b>80-4230</b>	40 mm	2wd only
<b>New!</b> Passat Sedan petrol Turbo and Tdi (all)	03.05 / -	3C	<b>80-4240</b>	40 mm	2wd only
<b>New!</b> Passat Variant petrol, non Turbo	03.05 / -	3C	<b>80-4235</b>	40 mm	2) , 2wd only
<b>New!</b> Passat Variant petrol Turbo and Tdi (all)	03.05 / -	3C	<b>80-4245</b>	40mm	2) , 2wd only
Polo G40	90 / 94	86C	<b>80-3011</b>	30 mm	
Polo	75 / 81	86	<b>80-3000</b>	35 mm	6)
Polo	75 / 81	86	<b>80-3020</b>	<b>60 mm</b>	1) 6)
Polo	81 / 94	86C	<b>80-3010</b>	35 mm	
Polo IV excl. Variant	94 / 10.99	6N	<b>80-3050</b>	35 mm	
Polo IV Variant	97 / 10.99	6N	<b>80-3055</b>	35 mm	
Polo IV excl. Variant	00 / -	6N	<b>80-3073</b>	<b>60 mm</b>	1)
Polo IV excl. Variant	94 / 10.99	6N	<b>80-3051</b>	<b>60 mm</b>	1)
Polo IV all excl. 1.0, Gti and Variant	11.99 / 02	6N	<b>80-3070</b>	35 mm	
Polo IV 1.0	11.99 / 02	6N	<b>80-3071</b>	35 mm	
Polo IV Gti	11.99 / 02	6N	<b>80-3072</b>	30 mm	
Polo IV Variant	11.99 / 02	6N	<b>80-3075</b>	30 mm	
Polo V 1.2i & 1.4i	02 / -	9N	<b>80-9020</b>	35 mm	
Polo V 1.9 SDi & 1.4TDi	02 / -	9N	<b>80-9000</b>	35 mm	
Polo V 1.9 TDi	02 / -	9N	<b>80-9010</b>	35 mm	
Sharan	02.95 / -	7M	<b>80-8000</b>	25 mm	
Touran 1.6	'03 / -	1T	<b>80-7235</b>	30 mm	
Touran all excl. 1.6	'03 / -	1T	<b>80-7245</b>	30 mm	
Transporter T3, excl. Syncro	79 / 90	T3	<b>80-0500</b>	35 mm	
Transporter T4, excl. Syncro	9.90 / -	T4	<b>80-0700</b>	50 mm	
Transporter T5 2.0	03 / -	T5	<b>80-0800</b>	35 mm	
Transporter T5 1.9 TDi	03 / -	T5	<b>80-0810</b>	35 mm	
Transporter T5 all V6, excl 4-Motion	03 / -	T5	<b>80-0820</b>	35 mm	
Transporter T5 4-Motion	03 / -	T5	<b>80-0830</b>	35 mm	
Vento	91 / 08.94	1HX0	<b>80-6000</b>	40 mm	large top Ø !
Vento	91 / 08.94	1HX0	<b>80-6020</b>	<b>60 mm</b>	1) large top Ø !
Vento	09.94 / 97	1HX0	<b>80-6000/1</b>	40 mm	small top Ø !
Vento	09.94 / 97	1HX0	<b>80-6020/1</b>	<b>60 mm</b>	1) small top Ø !

Visit [www.apexsuspension.com](http://www.apexsuspension.com) for an up-to-date catalogue



# Spring Kit Catalogue

*Note: APEX has a policy of tuning its product to local needs, and your country's distributor may carry an extended or limited range.*

Upload date:

Model	Year	Type	Apex Kit #	Lowering approx	Notes (see also page 14)
-------	------	------	------------	-----------------	-----------------------------

## VOLVO

740, 760 - 940 excl. Diesel	84 / -		<b>250-1000</b>	40 mm	2)
850 Sedan, S70	92 / -	LS, LW, L & N	<b>250-2000</b>	40 mm	2)
850 Estate incl. Turbo, T-5, T5-R, TDI, V70	92 / 97		<b>250-2010</b>	40 mm	2)
S40, V40	96 / 6.99	V	<b>250-4000</b>	35 mm	2)
S40, V40 model 2000 only	7.99 / 7.00		<b>250-4010</b>	35 mm	2)
S40, V40 model 2001 only	8.00 / 04		<b>250-4020</b>	35 mm	2) Small front upper spring seat
S40 benzine	04.04 / -	M	<b>250-4200</b>	35 mm	
S40 diesel	04.04 / -	M	<b>250-4210</b>	35 mm	
S60	00 / -		<b>250-6000</b>	25 mm	2)
S80	98 / -		<b>250-5000</b>	35 mm	2)
V50 benzine	04.04 / -	M	<b>250-4230</b>	35 mm	
V50 diesel	04.04 / -	M	<b>250-4240</b>	35 mm	
V70	00 / -		<b>250-5000</b>	35 mm	2)

## NOTES

### Notes:

- 1) use with shortened shock absorbers only.
- 2) not for cars with self-levelling shock absorbers.
- 4) MB fits rubber insulators between the springs and the spring seats. The available thickness varies from 8 - 23 mm.
- 5) Golf I and Jetta I up to 08.79 must use Golf II front upper spring seat # 171.41.234.1A
- 6) Polo up to 08.79 must use front upper spring seat Polo II # 141.21.13B
- 7) For lowering over 45 mm. the front anti-roll bar may touch the RH drive shaft. The bar can be replaced by APEX partnumber **SF 60-45145**. This must be ordered separately.
- 14) On RH-drive models, check the routing of the powersteering hoses and make sure that they are not chafing the steering arms.